



# HOT NEW PRODUCTS

**Sponges for Tiling, Plastering,  
Rendering, Concrete & Floor Laying.**



EXCLUSIVE TO TOOLS OF THE TRADE



## CEMENT & CONCRETE

A selection of Ragni's robust sponge range for cement & floor laying.

Lightweight ABS handle

Cell sponge

Made in  
ITALY

### RS210-CMA



Coarse sponge dampens surfaces prior to troweling final finish.

- Coarse medium cell sponge
- Lightweight ABS handle
- 15mm sponge thickness
- Length 220mm
- Width 140mm

### RS280-CMA



Coarse sponge dampens surfaces prior to troweling final finish.

- Coarse medium cell sponge
- Lightweight ABS handle
- 15mm sponge thickness
- Length 280mm
- Width 140mm

### RS220-HTA



25mm coarse sponge float dampens surfaces prior to troweling final finish.

- Coarse medium cell sponge
- Lightweight ABS handle
- 25mm sponge thickness
- Length 220mm
- Width 140mm


### RS280-HTA



25mm coarse sponge float dampens surfaces prior to troweling final finish.

- Coarse medium cell sponge
- Lightweight ABS handle
- 25mm sponge thickness
- Length 280mm
- Width 140mm

### RS210-HFBL



Trowel sponge with hard resilient surface 14mm thick mainly for cement finishing.

- Hard fine cell sponge
- Lightweight ABS handle
- 14mm sponge thickness
- Length 220mm
- Width 140mm



## PLASTER & RENDER WORK

A selection of Ragni's robust sponge range for plaster & render work.

Cell sponge

Aluminium base & wood effect handle


### RS280-CMW



Float soft wide sponge pores deal for dampening walls. Smooths over plaster to open up surface before final trowel finishing.

- Coarse medium cell sponge
- Aluminium base & wood effect handle
- 15mm sponge thickness
- Length 280mm
- Width 140mm

### RS210-CMW



Float soft wide sponge pores deal for dampening walls. Smooths over plaster to open up surface before final trowel finishing.

- Coarse medium cell sponge
- Aluminium base & wood effect handle
- 25mm sponge thickness
- Length 220mm
- Width 140mm

## TILING

Replacable robust sponge for tiling. Ideal for cleaning tiles.

Lightweight ABS click-fit handle

Hydrocell sponge



### RS280-HYRS

HYDRO REPLACEMENT 'CLICK FIT' SPONGE



Precut to click into trowel handle

### RS280-HYA

RAGNI HYDROCELL CLEANING SPONGE TROWEL

Hydro sponge with 'click fix' handle takes RS280 HydroR replacement sponge. Has a very high absorption rate.

- Hydrocell sponge
- Lightweight ABS click-fit handle
- 40mm sponge thickness
- Length 280mm
- Width 140mm





TOOLS OF THE TRADE LIMITED,  
Hazledine House, Saxon Business Park, Hanbury Road,  
Bromsgrove, Worcestershire B60 4AD

T: **+44 (0)1527 579666** F: **+44 (0)1527 579644**

E: **[sales@tools-trade.net](mailto:sales@tools-trade.net)** W: **[www.toolsofthetrade.co.uk](http://www.toolsofthetrade.co.uk)**